

## T cell development in real time

Robey, E

Dept of Molecular and Cell Biology, University of CA, Berkeley CA 94720

Two-photon laser scanning microscopy can be used to study the behavior of T cells and thymocytes in real-time in their native tissue environments. We find that positive selection alters the migration pattern of cortical thymocyte from slow, random migration to rapid, directional migration toward the medulla. Simultaneous imaging of thymocytes, thymic dendritic cells, and vasculature in intact thymic lobes shows that cortical thymocytes interact extensively with dendritic cells near vasculature, and that positive selection leads to increased thymocyte-DC contacts in the cortex. We are also using this system to examine thymocyte-DC interactions during negative selection. (NIH-AI-64227, AI-65537)

### References:

Bousso, P, Bhakta, N., Lewis, R. and Robey, E (2002) Dynamics of thymocyte-stromal cell interactions visualized by 2-photon microscopy. *Science*, 2002 Jun 7;296(5574):1876-80

Bousso, P and **Robey, E** (2004) Dynamic behavior of T cells and thymocytes in lymphoid organs as revealed by 2-photon microscopy. *Immunity*, Sept; 21, p 349-355.

Witt, C. M., Raychaudhuri, S., Schaefer, B. C., Chakraborty, A. K., and **Robey, E. A.** (2005). Directed migration of positively selected thymocytes visualized in real time. *PLoS Biology* Jun;3(6):e160.

Ladi, E., Yin, X., Chtanova, T., and **Robey, E. A.** (2006). Thymic microenvironments for T cell differentiation and selection. *Nat Immunol* 7, 338-343.

Yin, X, and **Robey, E. A.** (2007) CCR7 Expression in Developing Thymocytes Is Linked to the CD4 versus CD8 Lineage Decision. *J. Immunol* Dec 1;179(11):7358-64

*The 2008 Midwinter Conference of Immunologists at Asilomar, January 26-29, 2008 Pacific Grove, California (USA)*